

An Appointed Time



Finished Size: throw 59½" x 73"

Kit requirements for quilt in throw (shown) and twin (59½" x 86½") sizes available for download at ww.QTFabric.com. Project instructions for both sizes will be available for download in June.



An Appointed Time



21199 J



21198 J (backing)



21200 E



21197 E




21200 J




21204 R



21292 J



21203 J



21202 E

Kit Requirements (*twin size requirements in parentheses*)

Pattern	Yards	12 Kits	18 Kits	24 Kits
21197 JE	2½ (2¾)	3 (3)	4 (5)	5 (6)
21199 J	1⅛ (1¼)	2 (2)	2 (2)	3 (3)
21200 E	½ (¾)	1 (1)	1 (2)	1 (2)
21200 J	1 (1)	1 (1)	2 (2)	2 (2)
21202 E	¾ (¾)	1 (1)	2 (2)	2 (2)
21203 J	1⅛ (1¼)	2 (2)	2 (2)	3 (3)
21204 R	¾ (¾)	1 (1)	2 (2)	2 (2)
21292 J	1 (1)	1 (1)	2 (2)	2 (2)
21198 J	5 (5½)	5 (6)	8 (9)	10 (11)



Finished Block 13½" x 13½"
 Lap Quilt 59½" x 73" (3 blocks x 4 rows)
 Twin Quilt 59½" x 86½" (3 blocks x 5 rows)
 (directions for twin size quilt in parentheses)

Cutting:

21199J – Clock Faces

Cut 3 (4) 6¼" x WOF (width of fabric)

Subcut 18 (24) 6¼" x 6¼"

Cut 6 (6) 2" x WOF

21200E – White Floral

Cut 1 (2) 6¼" x WOF Subcut 6 (9) 6¼" x 6¼"

Cut 3 (3) 2" x WOF

21200J – Black Floral

Cut 2 (2) 6¼" x WOF Subcut (12) (12) 6¼" x 6¼"

Cut 6 (6) 2" x WOF

21202E – White #s

Cut 2 (2) 6¼" x WOF Subcut (12) (12) 6¼" x 6¼"

Cut 6 (6) 2" x WOF

21203J – Black Writing

Cut 3 (4) 6¼" x WOF Subcut (18) (24) 6¼" x 6¼"

Cut 5 (6) 2" x WOF

21292E – Black Dots

Cut 1 (2) 6¼" x WOF Subcut (6) (9) 6¼" x 6¼"

Cut 3 (3) 2" x WOF

Cut 8 (8) 2½" x WOF Miter short ends together, trim excess fabric, press open. Press in half, lengthwise with wrong sides together. BINDING

21292R – Red

Cut 8 (8) 2" x WOF Miter short ends of (2) strips, trim excess fabric, press open. Make (4)

21197JE – Border Print

Cut 4 (4) 8½" x Lengthwise Grain (follow the salvage) keeping the images the same for all pieces


21198J – Clocks (directional backing)

Cut 2 (2) 2½ yards (2¾ yards) With rights sides together, sew one long selvage edge with a 1" seam allowance. Trim seam to ½" and press open. BACKING

All seams are sewn with a ¼" seam allowance.
 Press all seams to the dark fabric.

Blocks:

Using the 2" x WOF strips, sew Black Dots to White Flowers to Black Dots = Strip Set A. Subcut Strip Set A into 4 (6) 5" squares. Sew White Flowers to Black Dots to White Flowers = Strip Set B. Subcut Strip Set B into 4 (6) 5" squares.



Draw a line corner to corner on the 6 (9) 6¼" x 6¼" White Flowers squares. With right sides together, place a White Flowers square on top of a Black Dots 6¼" x 6¼" square.

Sew a ¼" seam on each side of the drawn line. Cut apart on the drawn line = 12 (18) Half Square Triangles (HST). Draw a line corner to corner, perpendicular to the sewn line on 6 (9) HST. With right sides together place a HST on top of another HST, colors should be opposite of each other. Sew a ¼" on each side of the drawn line. Cut unit apart on the drawn line = 12 (18) Quarter Square Triangles (QST) Square Block up to a 5" x 5" QST unit.



Assemble Block 1 per image. Make 2 (3)



Block 2 uses White #s and Black Flower fabric strips.

Assemble Block 2 same as Block 1. Make 4 (4)

Block 3 uses Black Writing and Clock Faces fabric strips.

Assemble Block 3 same as Block 1. Make 6 (8)




Rows:

Assemble Rows per Diagram 1. The Lap Quilt will have 3 Blocks per Row and 4 Rows. (The Twin Quilt will have 3 Blocks per Row and 5 Rows). Press Rows 1, 3 and (5) to the right and Rows 2 and 4 to the left.

Borders: Sew the Red-Inner Border 2" strips to the Outer Border Strip. Watch image placement on the Outer Border = Border Strip Set (BSS). Make 4 (4)

On the wrong side of the Quilt Center, place a ¼" mark in each corner. Find the center of the 4 BSS, mark with a pin on the Inner Border Fabric. Measure the Quilt Center's length (side borders) and width (top/bottom borders), divide each measurement half. Using this measurement place a pin on either side the center pin of the top/bottom BSS and the side BSS. Find the center of all four sides of the Quilt Center, mark with a pin. Attach the BSS to the sides and the top/bottom of the Quilt Center, matching the center pins. The remaining 2 BSS pins should match the outside edge of the Quilt Center. Sew the BSS starting at ¼" corner mark and ending at the ¼" corner mark. Leave long thread tails, do not knot or use reverse sewing. DO NOT trim the extra BSS fabric. Repeat on all 4 sides. Press seam towards the BSS. Fold the quilt in half diagonally, right sides together. *Diagram 2*

Your extra BSS fabric should extend to the right. Line up the bottom BSS fabric edges and interlock the BSS seams, pin in place. Draw a line extending the diagonal fold through the BSS. The drawn line will be your sew line. Sew on drawn line, leaving long thread tails, open quilt to make sure that the intersection lays flat. Tie off thread tails. Cut away excess fabric, press seam open. Repeat on remaining (3) corners.



Twin Lap Diagram 1

