

# That's What Little Girls are Made Of



Finished Size: 42" x 54"

© Bethany Berndt Shackelford



22590P




22594Z



22594K



22595V



22595L



22596P



22593P



22591P

FABRIC REQUIREMENTS	
Design	Yards
22590P	1 panel
22594Z	$\frac{3}{8}$
22594K	$\frac{3}{8}$
22595V	$\frac{1}{2}$
22595L	$\frac{5}{8}$
22596P (binding)	$\frac{3}{4}$
22593P	$\frac{3}{4}$
22591P (backing)	$3\frac{5}{8}$

## Cutting

WOF = Width Of Fabric.

*Note: Use a 1/4" seam allowance throughout unless otherwise directed.*

### That's What Little Girls Are Made Of Panel

- Centering the printed panel, fussy-cut panel to  $22\frac{1}{2}" \times 33\frac{1}{2}"$ .

#### 22594Z - White With Dots

- Cut (3)  $2\frac{7}{8}" \times$  WOF strips. Recut strips into (34)  $2\frac{7}{8}"$  squares. Cut each square in half on the diagonal to make (68) B triangles.

#### 22594K - Dark Dot Print

- Cut (3)  $2\frac{7}{8}" \times$  WOF strips. Recut strips into (34)  $2\frac{7}{8}"$  squares. Cut each square in half on the diagonal to make (68) C triangles.

#### 22595V - Pink Check

- Cut (2)  $1\frac{1}{2}" \times 33\frac{1}{2}"$  strips for inner side border strips.
- Cut (2)  $2" \times 24\frac{1}{2}"$  strips for inner top and bottom border strips.
- Cut (2)  $1\frac{1}{2}" \times 34\frac{1}{2}"$  strips for outer top and bottom border strips.
- Cut (3)  $1\frac{1}{2}" \times$  WOF strips for outer side border strips.

#### 22595L - Lavender Check

- Cut (5)  $2\frac{7}{8}" \times$  WOF strips. Recut strips into (68)  $2\frac{7}{8}"$  squares. Cut each square in half on the diagonal to make (136) A triangles.

#### 22596P - Coordinating Stripe

- Cut (2)  $\frac{1}{2}"$ -wide bias strips to total 205" after joining with diagonal seams for binding.

#### 22593P - Butterfly Print

- Cut (5)  $4\frac{1}{2}" \times$  WOF strips for outer borders.

#### 22591P - Patch Print

- Cut (2)  $62" \times$  WOF strips for backing

## Making the Pinwheel Blocks

1. Sew an A triangle to a B triangle to make an A/B unit; press open with seam toward B. Repeat to make (68) A/B units. Repeat with A and C triangles to make 68 A/C units, pressing seams toward C (Diagram 1).




Diagram 1

2. Sew an A/B unit to an A/C unit to make a row; press seam toward the A/C unit. Repeat to make (68) rows (Diagram 2).



Diagram 2

3. Join (2) rows to complete (1) Pinwheel block. Press seam to one side (Diagram 3).



Diagram 3

4. Repeat step 3 to complete a total of (34) Pinwheel blocks.

## Quilt Assembly

1. Sew a 1 1/2" x 33 1/2" pink check strip to opposite long sides and a 2" x 24 1/2" pink check strip to the top and bottom of the trimmed panel. Press seams toward the strips.
2. Join (9) Pinwheel blocks to make a side border strip referring to the quilt diagram on page 1. Press seams in one direction. Repeat to make a second side strip. Sew these strips to opposite long sides of the bordered panel. Press seams toward the pink check strips.
3. Repeat step 2 with (8) Pinwheel blocks to make a top strip; repeat to make the bottom strip. Sew these strips to the top and bottom of the bordered panel. Press seams toward the pink check strips.
4. Join the (3) 1 1/2"-wide pink check strips on the short ends to make a long strip. Press seams open. Recut the strip into (2) 1 1/2" x 44 1/2" side strips. Sew these strips to opposite long sides of the bordered panel. Press seams toward strips. Sew the 1 1/2" x 34 1/2" pink check strips to the top and bottom of the bordered panel. Press seams toward strips.
5. Join the 4 1/2"-wide butterfly print strips on the short ends to make a long strip. Recut strip into (2) 4 1/2" x 46 1/2" side strips and (2) 4 1/2" x 42 1/2" top and bottom strips. Sew the longer strips to opposite long sides and shorter strips to the top and bottom of the bordered panel to complete the quilt top. Press seams toward strips.
6. Join the 2 1/2"-wide stripe bias binding strips with diagonal seams, trim seams to 1/4" and press open to make a long strip.
7. Remove the selvedge edges from the backing pieces. Join the pieces on the 62" edges with a 1/2" seam allowance. Press seam open. Trim top and bottom edges to make a 50" x 62" backing piece with a vertical seam.
8. Layer, quilt, and bind using your favorite methods and the stripe bias binding strip to complete the quilt.

*While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.*