



METRO QUILT & RUNNER





Designed By: Heidi Pridemore Finished Quilt Size: 51" x 66" Finished Runner Size: 18" x 50"



METRO QUILT



FABRIC REQUIREMENTS	
Design:	Yards
22975 Z	21/4
22975 ZQ	1/2
22974 AQ	1/2
22979 Q	1/4
22979 A	1/4
22979 H	1/4
22977 A (Binding)	3/4
22977 H	1/4
22977 Q	1/4
22978 A	1/4
22978 H	1/4
22978 Q	1/4
22976 A	1/2
22975 ZQ (Backing)	3½

22978 A 22978 H C. 22974 AQ: Boxes

22976 A

• Cut two 6½" strips. Sub-cut sixteen 3½" x 6½" strips.

D. 22979 Q: Teal Dots

- Cut one 3-1/2" strip. Cut sixteen Template 1 pieces
- Cut one 3-1/2" strip. Cut sixteen Template 2 pieces

E. 22979 A: Brown Dots

- Cut one 3-1/2" strip. Cut sixteen Template 1 pieces
- Cut one 3-1/2" strip. Cut sixteen Template 2 pieces

F. 22979 H: Gold Dots

- Cut one 3-1/2" strip. Cut sixteen Template 1 pieces
- Cut one 3-1/2" strip. Cut sixteen Template 2 pieces

G. 22977 A: Brown Hexagons

- Cut one 3-1/2" strip. Cut sixteen Template 1 pieces
- Cut one 3-1/2" strip. Cut sixteen Template 2 pieces
- Cut six $2\frac{1}{2}$ " strips for the binding.

H. 22977 H: Gold Hexagons

- Cut one 3-1/2" strip. Cut sixteen Template 1 pieces
- Cut one 3-1/2" strip. Cut sixteen Template 2 pieces

I. 22977 Q: Teal Hexagons

- Cut one 3-1/2" strip. Cut sixteen Template 1 pieces
- Cut one 3-1/2" strip. Cut sixteen Template 2 pieces

J. 22978 A: Brown Stripes

• Cut three 2" strips. (Piece if needed)

Cutting Directions:

22977 O

Please read all instructions carefully before beginning. ¼" seam allowance is included in measurements and all strips are cut across the width of the fabric unless noted otherwise. Label pieces and keep together until ready to sew.

A. 2975 Z: White on White Hexagon

• Cut two 6½" strips. Sub-cut into forty 2" x 6½" strips

22978 Q

- Cut three 4½" strips. Piece together and cut two 4½" x 59" strips.
- Cut three $4\frac{1}{4}$ " strips. Piece together and cut two $4\frac{1}{4}$ " x $51\frac{1}{2}$ " strips.
- Cut one 3-1/2" strip. Cut sixteen Template 1 pieces
- Cut one 3-1/2" strip. Cut sixteen Template 2 pieces

B. 229975 ZQ: Multi/White Hexagons

• Cut two $6\frac{1}{2}$ " strips. Sub-cut sixteen $3\frac{1}{2}$ " x $6\frac{1}{2}$ " strips.

Metro Ouilt

K. 22978 H: Gold Stripes

Cut two 2" strips. (Piece if needed)

L. 22978 Q: Teal Stripes

• Cut two 2" strips. (Piece if needed)

M. 22976 A: Brown Circles

• Cut two $6\frac{1}{2}$ " strips. Sub-cut sixteen $3\frac{1}{2}$ " x $6\frac{1}{2}$ " strips.

Backing 22975 ZQ: Multi/White Hexagons

• Cut two 59" strips. Sew the strips together and trim to make one 59" x 74" backing piece.

Piecing Instructions:

Press towards the darker fabric when assembling

A. Block Assembly:

1. Place one Fabric A-Template 1 triangle on top of one Fabric G-Template 1 triangle, right sides together, aligning the long sides (Fig. 1). Sew the two triangles together along the long side. Press open. Trim to 2" x 3½" to complete one A/G-T1 unit (Fig. 2). Repeat to make sixteen A/G-T1 units.




Fig. 1



Fig. 2

2. Place one Fabric A-Template 2 triangle on top of one Fabric G-Template 2 triangle, right sides together, aligning the long sides (Fig. 3). Sew the two triangles together along the long side. Press open. Trim to 2" x 3½" to complete one A/G-T2 unit (Fig. 4). Repeat to make sixteen A/G-T2 units.






Fig. 3



Fig. 4


3. Sew one A/G-T1 unit and one A/G-T2 unit together (Fig. 5). Repeat to make a second strip. Sew the strips to the top and bottom of one 3½" x 6½" Fabric B strip to make one $6\frac{1}{2}$ " x $6\frac{1}{2}$ " Block One (Fig. 6). Repeat to make eight Block One squares total.






NOTE: Remember to always use Template 1 triangle with another Template 1 triangle and a Template 2 triangle with a Template 2 triangle.

• Repeat Steps 1-3 to make eight Block Two squares using Fabric A and Fabric D triangles and 3½" x 6½" Fabric M strips (Fig. 7).



make 8 Fig. 7

• Repeat Steps 1-3 to make eight Block Three squares using Fabric A and Fabric H triangles and 3½" x 6½" Fabric C strips (Fig. 8).



make 8 Fig. 8

METRO QUILT

• Repeat Steps 1-3 to make eight Block Four squares using Fabric A and Fabric E triangles and 3½" x 6½" Fabric B strips (Fig. 9).




Fig. 9 make 8

• Repeat Steps 1-3 to make eight Block Five squares using Fabric A and Fabric I triangles and 3½" x 6½" Fabric M strips (Fig. 10).




Fig. 10 make 8

• Repeat Steps 1-3 to make eight Block Six squares using Fabric A and Fabric F triangles and 3½" x 6½" Fabric C strips (Fig. 11).




Fig. 11 make 8

B. Quilt Assembly: Refer to Figure 12 while assembling.

- Refer to Figure 12 for block placement to sew together one of each of the six blocks and five 2" x 6½" Fabric A strips to make one row. Repeat to make eight block rows.
- Sew together the eight rows and seven 2" x 44" Fabric J, K, and L strips as shown to complete the quilt top.

• Sew one 4¹/₄" x 59" Fabric A strip to each side of the quilt top. Sew one 4¹/₄" x 51¹/₂" Fabric A strip to the top and bottom of the quilt top.

C. Finishing:

- Prepare the backing to measure 59" x 74". Press the seams open.
- Layer the quilt top, batting and backing. Baste the layers together.
- Quilt as desired.
- Trim layers even with the quilt top.
- Sew the 2½" x 42" Fabric G binding strips together end-to-end with 45° seams to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- · Bind as desired.





Fig. 12

METRO RUNNER



FABRIC REQUIREMENTS	
Design:	Yards
22975 Z	1 1/8
22975 ZQ	1/4
22974 AQ	1/4
22979 Q	1/4
22979 A	1/4
22979 Н	1/4
22977 A (Binding)	1/2
22977 H	1/4
22977 Q	1/4
22976 A	1/4
22975 ZQ (Backing)	13/4
Batting 26" x 58"	

Cutting Directions:

Please read all instructions carefully before beginning. 1/4" seam allowance is included in measurements and all strips are cut across the width of the fabric unless noted otherwise. Label pieces and keep together until ready to sew.

22977 O

A. 22975 Z: White on White Hexagon

- Cut one $6\frac{1}{2}$ " strip. Sub-cut fourteen $2\frac{1}{2}$ " x $6\frac{1}{2}$ " strips.
- Cut five $2\frac{1}{2}$ " strips. Sew together and cut three $2\frac{1}{2}$ " x $50\frac{1}{2}$ " strips.
- Cut two 3-1/2" strips. Cut twenty-four Template 1 pieces
- Cut two 3-1/2" strips. Cut twenty-four Template 2 pieces

B. 22975 ZQ: Multi/White Hexagons

• Cut one $3\frac{1}{2}$ " strips. Sub-cut four $3\frac{1}{2}$ " x $6\frac{1}{2}$ " strips.

C. 22974 AQ: Boxes

• Cut one $3\frac{1}{2}$ " strips. Sub-cut four $3\frac{1}{2}$ " x $6\frac{1}{2}$ " strips.

D. 22979 Q: Teal Dots

• Cut one 3-1/2" strips. Cut four Template 1 pieces and four Template 2 pieces

E. 22979 A: Brown Dots

• Cut one 3-1/2" strips. Cut four Template 1 pieces and four Template 2 pieces

F. Pattern #22979 H – Gold Dots

• Cut one 3-1/2" strips. Cut four Template 1 pieces and four Template 2 pieces

G. Pattern #22977 A - Brown Hexagons

- Cut one 3-1/2" strips. Cut four Template 1 pieces and four Template 2 pieces
- Cut four $2\frac{1}{2}$ " strips for the binding.

H. Pattern #22977 H – Gold Hexagons

• Cut one 3-1/2" strips. Cut four Template 1 pieces and four Template 2 pieces

I. Pattern #22977 Q - Teal Hexagons

• Cut one 3-1/2" strips. Cut four Template 1 pieces and four Template 2 pieces

J. Pattern #22976 A – Brown Circles

• Cut one $3\frac{1}{2}$ " strips. Sub-cut four $3\frac{1}{2}$ " x $6\frac{1}{2}$ " strips.

Backing #22975 ZQ – Multi/White Hexagons


• Cut one 58" x 26" strip for the back

Piecing Instructions:

Press towards the darker fabric when assembling

A. Block/Row Assembly:

1. Place one Fabric A – Template 1 triangle on top of one Fabric G – Template 1 triangle, right sides together, aligning the long sides (Fig. 1). Sew the two triangles together along the long side. Press open (Fig. 2). Trim to 1½" x 3½" to complete one Template 1-A/G unit. Repeat to make four Template 1-A/G units.





1 Fig. 2

2. Place one Fabric A – Template 2 triangle on top of one Fabric G – Template 2 triangle, right sides together, aligning the long sides (Fig. 3). Sew the two triangles together along the long side. Press open (Fig. 4). Trim to 1½" x 3½" to complete one Template 2-A/G unit. Repeat to make four Template 2-A/G units.






Fig. 3

Fig. 4

3. Sew one Template 1 A/G unit and one Template 2 A/G unit together (Fig. 5). Repeat to make a second strip. Sew the strips to the top and bottom of one 3½" x 6½" Fabric B strip. This completes one Block One. Repeat to make two Block Ones squares.



Fig. 5

make 4

• Repeat Steps 1-3 using four Template 1 – Fabric A triangles, four Template 1 – Fabric D triangles, four Template 2 – Fabric A triangles, four Template 2 – Fabric D triangles and two 3½" x 6½" Fabric J strips to make two Block Two squares.

- Repeat Steps 1-3 using four Template 1 Fabric A triangles, four Template 1 Fabric H triangles, four Template 2 Fabric A triangles, four Template 2 Fabric H triangles and two 3½" x 6½" Fabric C strips to make two Block Three squares.
- Repeat Steps 1-3 using four Template 1 Fabric A triangles, four Template 1 Fabric E triangles, four Template 2 Fabric A triangles, four Template 2 Fabric E triangles and two 3½" x 6½" Fabric B strips to make two Block Four squares.
- Repeat Steps 1-3 using four Template 1 Fabric A triangles, four Template 1 Fabric I triangles, four Template 2 Fabric A triangles, four Template 2 Fabric I triangles and two 3½" x 6½" Fabric J strips to make two Block Five squares.
- Repeat Steps 1-3 using four Template 1 Fabric A triangles, four Template 1 Fabric F triangles, four Template 2 Fabric A triangles, four Template 2 Fabric F triangles and two 3½" x 6½" Fabric C strips to make two Block Six squares.

B. Runner Assembly:

- Sew together one of each of the six blocks and seven $2\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric A strips, alternating the blocks and strips, to complete one row. Repeat to make two rows total.
- Sew the two rows and three 2½" x 50½" Fabric A strips together to complete the runner top.



METRO RUNNER

STUDIO 8

C. FINISHING:

- Prepare the backing to measure 26" x 58". Press the seams open.
- Layer the quilt top, batting and backing. Baste the layers together.
- Quilt as desired.
- Trim layers even with the quilt top.
- Sew the 2½" x 42" Fabric G binding strips together end-to-end with 45° seams to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- Bind as desired.

