



Finished Wall Hanging Size: 48½" x 40½"



Finished Table Runner
Size: 21" x 64½"



Finished Placemat Size: 18" x 13"

Designed By: Larene Smith, The Quilted Button, Mission Viejo, CA



23029 H



23031 E



23032 H



23032 T



23027 S




23028 X



23026 A



23032 A

23030 ES
(Inc. Binding)23032 S
(Sashing &
Inner Border)23031 T
(Backing)

FABRIC REQUIREMENTS	
Design:	Yards
23029 H	Fat ¼
23031 E	Fat ¼
23032 H	Fat ¼
23032 T	Fat ¼
23027 S	Fat ¼
23028 X	Fat ¼
23026 A (Panel Set)	1
23032 A	¾
23030 ES (Inc. Binding)	¾
23032 S (Sashing & Inner Border)	¾
23031 T (Backing)	2½

General Information:

- All seams are sewn with a ¼" seam allowance.
- Pre-wash and press with spray starch.
- **WOF** = Width of Fabric from selvage to selvage.
- Press all seams open as will decrease bulk.
- Center Blocks are 18½" x 14½" finished.
- Outer Border Blocks are 4" square finished.
- After the pieces are cut for the Outer Border label as directed for less confusion.

Special Notions:

Rotary Cutter, Mat, Rulers, Straight Pins, Sewing Machine, and threads to match your fabrics

Cutting Directions:

1. 23026 A – Fussy Cut as follows:

- Jars – (2) 9" squares.
- Tins – (2) 19" x 15" rectangles.

2. 23030 ES:

- Cut (1) strip at 9" x **WOF** – Sub-cut into (4) 9" x 3" rectangles (Block A), Cut (5) strips at 2½" x **WOF** (Binding), from the balance of the fabric cut (18) 4½" x 3½" rectangles – Label B (Outer Border).

3. 23031E:

- Cut (4) 5" x 9" rectangles (Block A).

4. 23032A – Cut as follows:

- Cut (2) strips at 1" x **WOF** – Sub-cut into (4) 1" x 19" rectangles (Block A).
- Cut (1) strip at 1" x **WOF** – Sub-cut into (4) 1" x 9" rectangles (Block A).
- Cut (1) strip 1" x **WOF** – Sub-cut into (2) 1" x 13" rectangles (Block A).
- Cut (1) strip at 4½" x **WOF** – Sub-cut into (36) 1" x 4½" rectangles – Label A (Outer Border).

5. 23032H:

- Cut (2) 2½" x 13" rectangle.

6. 23032T:

- Cut (2) 2½" x 13" rectangle.

7. 23032S:

- Cut (2) strips at 2" x **WOF** – Sub-cut into (2) 2" x 19" rectangles and (1) 2" x 31" rectangle (Sashing), Cut (4) strips at 1¼" x **WOF** – Sub-cut into (2) 1¼" x 31" (Sides) and (2) 1¼" x 40½" for the Inner Border.

8. 23029H:

- Cut (6) 4½" squares - Label C (Outer Border)

9. 23028X:

- Cut (8) 4½" squares – Label E (Outer Border).

10. 23027S:

- Cut (8) 4½" squares - Label D (Outer Border).

Sewing Block A:

11. Sew the following together from left to right at the 9" edge to make the center at 19" x 9" ---- (1) 23031E 5" x 9" rectangle, (1) 23032A 1" x 9" rectangle, Jars 9" square, (1) 23032A 1" x 9" rectangle, (1) 23031E 5" x 9" rectangle – Make (2) as shown in Example A.
12. Sew (1) 23032A 1" x 19" rectangle to the top and bottom to measure 19" x 10" – Make (2).
13. Sew the following together from left to right to make a new strip at 5½" x 13" ----- (1) 23032H 2½", (1) 23032A 1", (1) 23032T 2½", (1) 23032A 1" – Make (2) – Sub-cut into (8) 5½" x 3" rectangles.
14. Sew (1) of the rectangles just completed to each 3" edge of (1) 23030ES 9" x 3" rectangle to make a new rectangle at 19" x 3" – Make (4) as shown in Example B.
15. Sew (1) of the rectangles just completed to the top and bottom of the rectangle sewn in Instruction No. 12 to finish Block A at 19" x 15" – Make (2).

Example A



Sewing the Center of the Wallhanging and Inner Border:

16. Sew (1) 23032S 2" x 19" rectangle (Sashing) between (1) Block A and (1) Panel 19" x 15" rectangle with Block A on the bottom (left side).
17. Sew (1) 23032S 2" x 19" rectangle (Sashing) between (1) Panel 19" x 15" rectangle and (1) Block A with Block A at the top (right side).
18. Sew (1) 23032S 2" x 31" rectangle between the two sections to finish the quilt center at 39" x 31".

19. Sew (1) 23032S 1¼" x 31" rectangle to each side then sew (1) 23032S 1¼" x 40½" rectangle to the top and bottom for the Inner Border at 40½" x 32½".

Example B



Outer Border:

Note: When sewing the borders keep in mind the direction of the fabric.

20. Top Border – Sew together as follows from left to right at the 4½" edge to measure 4½" x 40½": A, B, A, C, A, B, A, D, A, B, A, C, A, B, A, E, A, B, A, D --- Sew to the TOP of the CENTER.
21. Bottom Border – Sew together as follows from left to right at the 4½" edge to measure 4½" x 40½": D, A, B, A, E, A, B, A, C, A, B, A, D, A, B, A, C, A, B, A --- Sew to the BOTTOM of the CENTER.
22. Left Side Border – Sew together as follows from left to right at the 4½" edge to measure 4½" x 40½": E, E, A, B, A, C, A, B, A, D, A, B, A, E, A, B, A, E --- Sew to the LEFT SIDE of the CENTER.
23. Right Side Border – Sew together as follows from left to right at the 4½" edge to measure 4½" x 40½": E, A, B, A, E, A, B, A, D, A, B, A, C, A, B, A, E, E --- Sew to the RIGHT SIDE of the CENTER to finish the quilt top at 48½" x 40½".

Finishing the Placemats:

24. Layer the 23031T backing, batting and quilt top and quilt as desired.
25. Using the 23030ES 2½" strips sew on the binding to finish the placemats.

Example C





23029 S



23032 T



23027 S



23028 X



23027 T



23031 E



23031 T

23032 H
(Inc. Backing)

23030 A

FABRIC REQUIREMENTS	
Design:	Yards
23029 S	Fat ¼
23032 T	Fat ¼
23027 S	Fat ¼
23028 X	Fat ¼
23027 T	Fat ¼
23031 E	¾
23031 T	½
23032 H (Inc. Backing)	2
23030 A	¾

General Information:

- All seams are sewn with a ¼" seam allowance.
- Pre-wash and press with spray starch.
- **WOF** = Width of Fabric from selvage to selvage.
- Press all seams open as will decrease bulk.
- Finished Block is 14" square.

Special Notions:

Rotary Cutter, Mat, Rulers, Straight Pins, Sewing Machine, and threads to match your fabrics

Cutting Directions:

1. 23027 S:

- Cut (4) 8" x 4" rectangles.

2. 23027 T:

- Cut (4) 8" squares.

3. 23028 X:

- Cut (4) 4" squares.

4. 23029 S:

- Cut (2) 2½" x 12½" rectangles and (2) 2½" x 12" rectangles.

5. 23030 A:

- Cut (5) strips at 2½" x **WOF** (Binding).

6. 23031 E:

- Cut (1) 12½" x 21" rectangle – sub-cut into (2) 12½" x 2½" rectangles, (2) 12" x 2½" rectangles, and with the balance of the fabric cut (4) 8" x 4" rectangle and (4) 3¼" squares.

7. 23031 T:

- Cut (4) strips at 3¼" x **WOF** (Border).

8. 23032 T:

- Cut (4) 1" x 14½" rectangles, (8) 1" x 12" rectangles, (4) 1" x 8" rectangles, and (4) 1" x 4" rectangles.

9. 23032 H:

- Cut (4) 2½" squares, (5) 1" x 14½" rectangles, Cut (2) 1" x 59" rectangles from one of the SELVAGE EDGES as this will use the excess of the backing fabric (Sashing and Inner Border).

Block A



Block B



**Example A
Set A**



**Example B
Set B**



Block A – Make (2):

Note: Refer to the Finished Block as an additional guide.

10. Sew the following together at the 8" edge from top to bottom to measure 8" x 12": (1) 23027T 8" square, (1) 23032T 1" x 8" rectangle, (1) 23031E 4" x 8" rectangle as shown in Example A – Make (4) – set aside (2) for use in Block B – Set A.
11. Sew the following together at the 4" edge from top to bottom to measure 4" x 12": (1) 23027S 4" x 8" rectangle, (1) 23032T 4" x 1" rectangle, (1) 23028X 4" square as shown in Example B – Make (4) – set aside (2) for use in Block B.
12. Sew (1) 23032T 1" x 12" rectangle to the LEFT side of the rectangle just sewn – Make (2) – Set B.
13. Sew (1) 23029S 2½" x 12" rectangle to (1) 23032T 1" x 12" rectangle – Make (2) – Set C.
14. Sew (1) of Set A and Set B together at the 12" edge with Set A towards the LEFT then sew on Set C to the FAR LEFT to measure 14½" x 12".
15. Sew (1) 23032H 2½" square to one 2-1/2" edge of (1) 23031E 2½" x 12½" rectangle – Make (2) then sew (1) 23032T 1" x 14½" rectangle to the bottom 14½" edge with the 2½" square towards the LEFT.
16. Sew the piece just completed to the top of the 14½" x 12" rectangle sewn in Instruction No. 14 to finish the block at 14½" square – Make (2).

Block B – Make (2):

Note: Refer to the Finished Block as an additional guide.

17. Sew (1) 23032T 1" x 12" rectangle to the LEFT side of the ROTATED which was set aside from Instruction No. 11 – Make (2) – Set B.
18. Sew (1) 23031E 2½" x 12" rectangle to (1) 23032T 1" x 12" rectangle – Make (2) – Set C.
19. Sew (1) of Set A (ROTATED) and Set B (ROTATED) together at the 12" edge with Set A towards the LEFT then sew on Set C to the BOTTOM to measure 12" x 14½".
20. Sew (1) 23032H 2½" square to one 2½" edge of (1) 23031E 2½" x 12½" rectangle – Make (2) then sew (1) 23032T 1" x 14½" rectangle to the right 14½" edge with the 2½" square towards the BOTTOM.
21. Sew the piece just completed to the left of the 12" x 14½" rectangle sewn in Instruction No. 19 to finish the block at 14½" square – Make (2).

**Example A
Rotated
Set A**



**Example B
Rotated
Set B**





Just A Pinch Table Runner



Sewing the Tablerunner Center and Borders:

Note: Refer to the cover picture as an additional guide.

22. Sew the center together as follows from left to right to measure 14½" x 59": 23032H 1" x 14½", Block A, 23032H 1" x 14½", Block B, 23032H 1" x 14½", Block B ROTATED TWICE, 23032H 1" x 14½", Block A ROTATED TWICE, 23032H 1" x 14½".
23. Sew (1) 23032H 1" x 59" rectangle to the top and bottom to finish the center along with the Inner Border at 15½" x 59".
24. Using the 23031T 3¼" strips sew them together at the ¾" edge to make a long strip then sub-cut into (2) ¾" x 15½" rectangles (Sides) and (2) ¾" x 59" rectangles (Top/Bottom).
25. Sew on the Top and Bottom to the Tablerunner.
26. Sew (1) 23031E ¾" squares to each ¾" edge of the 23031T ¾" x 15½" rectangles to measure ¾" x 21"
– Make (2) then sew onto each side to finish the Tablerunner at 21" x 64½".

Finishing the Table Runner:

27. Layer the "Tins" 23031H backing, batting and Tablerunner top and quilt as desired.
28. Using the 23030A 2½" strips sew on the binding to finish the Tablerunner.




23029 H

23031 E

23032 A

23032 H



23032 T

23026 A

23030 ES
(Binding)

FABRIC REQUIREMENTS	
Design:	Yards
23029 H	Fat $\frac{1}{4}$
23031 E	Fat $\frac{1}{4}$
23032 A	Fat $\frac{1}{4}$
23032 H	Fat $\frac{1}{4}$
23032 T	Fat $\frac{1}{4}$
23026 A (Panel Set)	1
23030 ES (Binding)	$\frac{3}{8}$

General Information:

- All seams are sewn with a $\frac{1}{4}$ " seam allowance.
- Pre-wash and press with spray starch.
- **WOF** = Width of Fabric from selvage to selvage.
- Press all seams open as will decrease bulk.

Special Notions:

Rotary Cutter, Mat, Rulers, Straight Pins, Sewing Machine, and threads to match your fabrics

Cutting Directions:

1. 23027 S:

- Cut (4) 8" x 4" rectangles.

1. 23026 A: Fussy Cut as follows:

- Jars – (2) 8 $\frac{1}{2}$ " squares (Front),
- Tins – (2) 18 $\frac{1}{2}$ " x 13 $\frac{1}{2}$ " rectangles (Back).

2. 23029 H:

- Cut (4) 8 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " rectangles.

3. 23031 E:

- Cut (4) 5" x 8 $\frac{1}{2}$ " rectangles.

4. 23032 A: Cut as follows:

- (4) 1" x 18 $\frac{1}{2}$ " rectangles,
- (4) 1" x 8 $\frac{1}{2}$ " rectangles, and
- (2) 1" x 20 $\frac{1}{2}$ " rectangles.

5. 23032 H:

- Cut (1) 2 $\frac{1}{2}$ " x 20 $\frac{1}{2}$ " rectangle.

6. 23032 T:

- Cut (1) 2 $\frac{1}{2}$ " x 20 $\frac{1}{2}$ " rectangle.

7. 23030 ES:

- Cut (4) strips at 2 $\frac{1}{2}$ " x **WOF** (Binding)

Example A



Example B





Just A Pinch Placemats



Sewing the Placemat Front:

8. Sew the following together from left to right at the $8\frac{1}{2}$ " edge to make the center of the placemat at $18\frac{1}{2}$ " x $8\frac{1}{2}$ " ---- (1) 23031E 5" x $8\frac{1}{2}$ " rectangle, (1) 23032A 1" x $8\frac{1}{2}$ " rectangle, Jars $8\frac{1}{2}$ " square, (1) 23032A 1" x $8\frac{1}{2}$ " rectangle, (1) 23031E 5" x $8\frac{1}{2}$ " rectangle – Make (2) as shown in Example A.
9. Sew (1) 23032A 1" x $18\frac{1}{2}$ " rectangle to the top and bottom to measure $18\frac{1}{2}$ " x $9\frac{1}{2}$ " – Make (2).
10. Sew the following together from left to right to make a new strip at $5\frac{1}{2}$ " x $20\frac{1}{2}$ " ----- (1) 23032H $2\frac{1}{2}$ ", (1) 23032A 1", (1) 23032T $2\frac{1}{2}$ ", (1) 23032A 1" – Sub-cut into (8) $5\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangles.
11. Sew (1) of the rectangles just completed to each $2\frac{1}{2}$ " edge of (1) 23029H $8\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle to make a new rectangle at $18-1\frac{1}{2}$ " x $2\frac{1}{2}$ " – Make (2) as shown in Example B.
12. Sew (1) of the rectangles just completed to the top and bottom of the rectangle sewn in Instruction No. 9 to finish the FRONT of the placemat at $18\frac{1}{2}$ " x $13\frac{1}{2}$ " – Make (2).

Finishing the Placemats:

13. Layer the “Tins” #23026A backing, batting and quilt top and quilt as desired.
14. Using the 23030ES $2\frac{1}{2}$ " strips sew on the binding to finish the placemats.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.